

Graphs in Machine LearningRandom Graph Models

Erdős-Rényi, Barabási-Albert, and Stochastic Blocks

Michal Valko

Inria & ENS Paris-Saclay, MVA

Partially based on material by: Andreas Krause, Branislav Kveton, Michael Kearns

Erdős-Rényi


independent edges



Erdős-Rényi independent edges




Barabási-Albert preferential attachment



Erdős-Rényi independent edges



Barabási-Albert preferential attachment




Stochastic Blocks modeling communities




Erdős-Rényi independent edges




Barabási-Albert preferential attachment



Stochastic Blocks



Watts-Strogatz, Chung-Lu, Fiedler,



http://www.oakland.edu/enp/ try it!

- http://www.oakland.edu/enp/ try it!
- an example of a real-world graph

- http://www.oakland.edu/enp/ try it!
- an example of a real-world graph
- 401 000 authors, 676 000 edges ($\ll 401000^2 \to \text{sparse}$)

- http://www.oakland.edu/enp/ try it!
- an example of a real-world graph
- 401 000 authors, 676 000 edges ($\ll 401000^2 \to \text{sparse}$)
- average degree 3.36

- http://www.oakland.edu/enp/ try it!
- an example of a real-world graph
- 401 000 authors, 676 000 edges ($\ll 401000^2 \rightarrow \text{sparse}$)
- average degree 3.36
- average distance for the largest component: 7.64

- http://www.oakland.edu/enp/ try it!
- an example of a real-world graph
- 401 000 authors, 676 000 edges ($\ll 401000^2 \rightarrow \text{sparse}$)
- average degree 3.36
- average distance for the largest component: 7.64
- 6 degrees of separation [Travers & Milgram, 1967]

- http://www.oakland.edu/enp/ try it!
- an example of a real-world graph
- 401 000 authors, 676 000 edges ($\ll 401000^2 \rightarrow \text{sparse}$)
- average degree 3.36
- average distance for the largest component: 7.64
- 6 degrees of separation [Travers & Milgram, 1967]
- heavy tail

Michal Valko

michal.valko@inria.fr Inria & ENS Paris-Saclay, MVA

https://misovalko.github.io/mva-ml-graphs.html